Contents to volume 238

Research Letters

Hydroxyprolyl³-bradykinin in high molecular mass kininogen: Presence in human and monkey kininogens, but not in kininogens from bovine, rat, rabbit, guinea pig and mouse plasmas (FEB 06321) *K. Enjyoji, H. Kato* 1

Plasma fibronectin prepared from patients with metastatic breast cancer shows in vitro aggregation property (FEB 06316) *L. Vuillard, A. Miller, P.J.H. Sizer* 5

Evidence for a membrane-bound pyrophosphatase in *Dictyostelium discoideum* (FEB 06328) *J.I.S. MacDonald, G. Weeks* 9

Association of a myristoylated protein with a biological membrane and its increased phosphorylation by protein kinase C (FEB 06325) *T. Utsumi, K. Yoshinaga, D. Koga, A. Ide, K. Nobori, E. Okimasu, S. Terada, K. Utsumi* 13

Long-range ^{15}N-^{1}H correlation as an aid to sequential proton resonance assignment of proteins: Application to the DNA-binding protein *ner* from phage Mu (FEB 06286) *G.M. Clore, A. Bax, P. Wingfield, A.M. Gronenborn* 17

A 22 kDa *ras*-related G-protein is the substrate for an ADP-ribosyltransferase from *Clostridium botuiinum* (FEB 06319) *L.A. Quilliam, J. Heller Brown, J.E. Buss* 22

Expression of sodium pump activities in BALB/c 3T3 cells transfected with cDNA encoding α_3-subunits of rat brain Na^+,K^+-ATPase (FEB 06322) *Y. Hara, A. Nikamoto, T. Kojima, A. Matsumoto, M. Nakao* 27

Cloning and sequencing of a *Clostridium perfringens* sialidase gene (FEB 06320) *P. Roggentin, B. Rothe, F. Lottspeich, R. Schauer* 31

N-(2-Hydroxyethyl)phenazinium derivatives of oligonucleotides as effectors of the sequence-specific modification of nucleic acids with reactive oligonucleotide derivatives (FEB 06329) *I.V. Kutyavin, M.A. Podyminogin, Yu.N. Bazhina, O.S. Fedorova, D.G. Knorre, A.S. Levina, S.V. Mamayev, V.F. Zarytova* 35

Evidence for a single glycan moiety in rabbit serum transferrin and location of the glycan within the polypeptide chain (FEB 06324) *R.W. Evans, A. Aitken, K.J. Patel* 39

Location of divalent ion sites in acyl carrier protein using relaxation perturbed 2D NMR (FEB 06318) *A.F. Frederick, L.E. Kay, J.H. Prestegard* 43

Investigation of the solution structures and mobility of oxidised and reduced cytochrome b_5 by 2D NMR spectroscopy (FEB 06315) *N.C. Veitch, D.W. Concar, R.J.P. Williams, D. Whitford* 49

Mechanistic studies on the phosphorylation of photoexcited rhodopsin (FEB 06323) *C. Fowles, R. Sharma, M. Akhtar* 56

The conformation of calmodulin: a substantial environmentally sensitive helical transition in Ca_4-calmodulin with potential mechanistic function (FEB 06317) *P. Bayley, S. Martin, G. Jones* 61

Regulation by Ca^{2+} of membrane elasticity of bovine chromaffin granules (FEB 06327) *S. Miyamoto, S. Fujime* 67

Contractile activity enhances the synthesis of hexokinase II in rat skeletal muscle (FEB 06326) *F.E. Weber, D. Pette* 71

Unprecedented lysyloxidase activity of *Pichia pastoris* benzylamine oxidase (FEB 06338) *S.S. Tur, K. Lerch* 74

Chloride mediated inhibition of the phosphate and the sulfate transport by dipyridamole in human erythrocyte ghosts (FEB 06331) *M. Renner, M. Dietl, K.F. Schnell* 77

Domain II of calmodulin is involved in activation of calcineurin (FEB 06335) *M.Y. Hurwitz, J.A. Putkey, C.B. Klee, A.R. Means* 82

Phosphatidylinositol kinase activity of a plasma membrane-associated calcium-activated protein kinase from pea (FEB 06337) *D.P. Blowers, A.J. Trewavas* 87

Purification and characterization of two GTP-binding proteins of 22 kDa from human platelet membranes (FEB 06333) *K. Nagata, Y. Nozawa* 90

Purification and partial characterization of two lectins from the cactus *Machaerocereus eruca* (FEB 06344) *E. Zenteno, H. Debray, J. Montreuil* 95

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

Contents to volume 238

Research Letters

Hydroxyprolyl³-bradykinin in high molecular mass kininogen: Presence in human and monkey kininogens, but not in kininogens from bovine, rat, rabbit, guinea pig and mouse plasmas (FEB 06321) *K. Enjyoji, H. Kato* 1

Plasma fibronectin prepared from patients with metastatic breast cancer shows in vitro aggregation property (FEB 06316) *L. Vuillard, A. Miller, P.J.H. Sizer* 5

Evidence for a membrane-bound pyrophosphatase in *Dictyostelium discoideum* (FEB 06328) *J.I.S. MacDonald, G. Weeks* 9

Association of a myristoylated protein with a biological membrane and its increased phosphorylation by protein kinase C (FEB 06325) *T. Utsumi, K. Yoshinaga, D. Koga, A. Ide, K. Nobori, E. Okimasu, S. Terada, K. Utsumi* 13

Long-range ^{15}N-^{1}H correlation as an aid to sequential proton resonance assignment of proteins: Application to the DNA-binding protein *ner* from phage Mu (FEB 06286) *G.M. Clore, A. Bax, P. Wingfield, A.M. Gronenborn* 17

A 22 kDa *ras*-related G-protein is the substrate for an ADP-ribosyltransferase from *Clostridium botuiinum* (FEB 06319) *L.A. Quilliam, J. Heller Brown, J.E. Buss* 22

Expression of sodium pump activities in BALB/c 3T3 cells transfected with cDNA encoding α_3-subunits of rat brain Na^+,K^+-ATPase (FEB 06322) *Y. Hara, A. Nikamoto, T. Kojima, A. Matsumoto, M. Nakao* 27

Cloning and sequencing of a *Clostridium perfringens* sialidase gene (FEB 06320) *P. Roggentin, B. Rothe, F. Lottspeich, R. Schauer* 31

N-(2-Hydroxyethyl)phenazinium derivatives of oligonucleotides as effectors of the sequence-specific modification of nucleic acids with reactive oligonucleotide derivatives (FEB 06329) *I.V. Kutyavin, M.A. Podyminogin, Yu.N. Bazhina, O.S. Fedorova, D.G. Knorre, A.S. Levina, S.V. Mamayev, V.F. Zarytova* 35

Evidence for a single glycan moiety in rabbit serum transferrin and location of the glycan within the polypeptide chain (FEB 06324) *R.W. Evans, A. Aitken, K.J. Patel* 39

Location of divalent ion sites in acyl carrier protein using relaxation perturbed 2D NMR (FEB 06318) *A.F. Frederick, L.E. Kay, J.H. Prestegard* 43

Investigation of the solution structures and mobility of oxidised and reduced cytochrome b_5 by 2D NMR spectroscopy (FEB 06315) *N.C. Veitch, D.W. Concar, R.J.P. Williams, D. Whitford* 49

Mechanistic studies on the phosphorylation of photoexcited rhodopsin (FEB 06323) *C. Fowles, R. Sharma, M. Akhtar* 56

The conformation of calmodulin: a substantial environmentally sensitive helical transition in Ca_4-calmodulin with potential mechanistic function (FEB 06317) *P. Bayley, S. Martin, G. Jones* 61

Regulation by Ca^{2+} of membrane elasticity of bovine chromaffin granules (FEB 06327) *S. Miyamoto, S. Fujime* 67

Contractile activity enhances the synthesis of hexokinase II in rat skeletal muscle (FEB 06326) *F.E. Weber, D. Pette* 71

Unprecedented lysyloxidase activity of *Pichia pastoris* benzylamine oxidase (FEB 06338) *S.S. Tur, K. Lerch* 74

Chloride mediated inhibition of the phosphate and the sulfate transport by dipyridamole in human erythrocyte ghosts (FEB 06331) *M. Renner, M. Dietl, K.F. Schnell* 77

Domain II of calmodulin is involved in activation of calcineurin (FEB 06335) *M.Y. Hurwitz, J.A. Putkey, C.B. Klee, A.R. Means* 82

Phosphatidylinositol kinase activity of a plasma membrane-associated calcium-activated protein kinase from pea (FEB 06337) *D.P. Blowers, A.J. Trewavas* 87

Purification and characterization of two GTP-binding proteins of 22 kDa from human platelet membranes (FEB 06333) *K. Nagata, Y. Nozawa* 90

Purification and partial characterization of two lectins from the cactus *Machaerocereus eruca* (FEB 06344) *E. Zenteno, H. Debray, J. Montreuil* 95

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

Seminal pepsinogen C is not identical with, but is very similar to gastric pepsinogen C (FEB 06340) *P.B. Szecsi, C. Koch, B. Foltmann* 101
Identification of a Glu > Lys substitution in the activation segment of human pepsinogen A-3 and -5 isozymogens by peptide mapping using endoproteinase Lys-C (FEB 06339) *R.A. Bank, B.C. Crusius, T. Zwiers, S.G.M. Meuwissen, F. Arwert, J.C. Pronk* 105
Mutagenesis directed by phosphotriester analogues of oligonucleotides: a way to site-specific mutagenesis in vivo (FEB 06352) *V.A. Petrenko, S.M. Kipriyanov, A.N. Boldyrev, P.I. Pozdnyakov* 109
A new crystalline form of 30 S ribosomal subunits from *Thermus thermophilus* (FEB 06330) *M.M. Yusupov, S.V. Tischenko, S.D. Trakhanov, S.N. Ryazantsev, M.B. Garber* 113
Total synthesis of the cystatin α gene and its expression in *E. coli* (FEB 06342) *N. Katunuma, M. Yamato, E. Kominami, Y. Ike* 116
Stimulation of transcription from accurate initiation sites by purified S-II (FEB 06341) *H. Hirai, K. Sekimizu, M. Horikoshi, Y. Nakanishi, S. Natori* 119
A nuclear yeast gene (GCY) encodes a polypeptide with high homology to a vertebrate eye lens protein (FEB 06332) *U. Oechsner, V. Magdolen, W. Bandlow* 123
Heterogeneity of human tissue-type plasminogen activator (FEB 06346) *G. Opdenakker, F. Bosman, B. Decock, Y. Cabeza-Arvelaiz, J. Van Damme, A. Billiau* 129
Growth inhibitory activity of atrial natriuretic factor in rat glomerular mesangial cells (FEB 06345) *R.G. Appel* 135
Hepatic ethanol metabolism is mediated predominantly by catalase-H_2O_2 in the fasted state (FEB 06343) *J.A. Handler, R.G. Thurman* 139
The effect of pepstatin A, an inhibitor of the pro-opiomelanocortin (POMC)-converting enzyme, on POMC processing in mouse intermediate pituitary (FEB 06069) *Y.P. Loh* 142
Aorta caldesmon inhibits actin activation of thiophosphorylated heavy meromyosin Mg^{2+}-ATPase activity by slowing the rate of product release (FEB 06360) *S. Marston* 147
A major role for protein kinase C in calcium-activated exocytosis in permeabilised adrenal chromaffin cells (FEB 06359) *R.D. Burgoyne, A. Morgan, A.J. O'Sullivan* 151
Regulation of a rat lung protein tyrosine kinase activity by reversible phosphorylation/dephosphorylation (FEB 06354) *A.K. Srivastava, J.-L. Chiasson* 156
Association of rabbit muscle glyceraldehyde-3-phosphate dehydrogenase and 3-phosphoglycerate kinase: The biochemical and electron-microscopic evidence (FEB 06350) *M.V. Sukhodolets, V.I. Muronetz, V.L. Tsuprun, A.S. Kaftanova, N.K. Nagradova* 161
^{1}H-NMR study of plantacyanin from spinach (FEB 06348) *M.A. Babayan, A.M. Nersissian, R.M. Nalbandyan* 167
Selective extraction of haemagglutinin and matrix protein from Sendai virions by employing trifluoperazine as a detergent (FEB 06296) *M. Baiocchi, M. Pescarmona, M.L. Bruschi, C. Montecucco, T. Squatriti, M. Tomasi* 171
Amino-terminal sequence of a *Saccharomyces cerevisiae* nuclear protein, NHP6, shows significant identity to bovine HMGl (FEB 06353) *D. Kolodrubetz, W. Haggren, A. Burgum* 175
Molecular cloning and sequence analysis of cDNA encoding human kidney D-amino acid oxidase (FEB 06356) *K. Momoi, K. Fukui, F. Watanabe, Y. Miyake* 180
The in vitro insertion of monoamine oxidase B into mitochondrial outer membranes (FEB 06178) *Z. Zhuang, M. Hogan, R. McCauley* 185
Adipocyte plasma membranes contain two G_i subtypes but are devoid of G_o (FEB 06358) *K.-D. Hinsch, W. Rosenthal, K. Spicher, T. Binder, H. Gausepohl, R. Frank, G. Schultz, H.G. Joost* 191
Effect of monensin on intracellular transport and posttranslational processing of 11 S globulin precursors in developing pumpkin cotyledons (FEB 06347) *M. Hayashi, T. Akazawa, M. Nishimura, I. Hara-Nishimura* 197
Functional activity of oligosaccharide-deficient (Na,K)ATPase expressed in *Xenopus* oocytes (FEB 06355) *K. Takeda, S. Noguchi, A. Sugino, M. Kawamura* 201

The maximum of the histone acetyltransferase activity precedes DNA-synthesis in regenerating rat liver (FEB 06357) *G. Weiss, B. Puschendorf* 205

$tRNA^{Phe}$ deprived of 3'-terminal adenosyl residue does not stimulate adenosine aminoacylation catalyzed by phenylalanyl-tRNA synthetase from *Escherichia coli* (FEB 06349) *A.S. Boutorin, V.A. Gordienko, O.I. Lavrik, N.A. Moor* 211

Book Reviews and Booklist No. 84 215

Notes to Authors 227

Research Letters

The 'molten globule' state is involved in the translocation of proteins across membranes? (FEB 06336) *V.E. Bychkova, R.H. Pain, O.B. Ptitsyn* 231

Acute exercise increases the number of plasma membrane glucose transporters in rat skeletal muscle (FEB 06361) *M.F. Hirshman, H. Wallberg-Henriksson, L.J. Wardzala, E.D. Horton, E.S. Horton* 235

Pathways of calcium release from heavy sarcoplasmic reticulum vesicles isolated from rabbit skeletal muscle (FEB 06366) *A.M. Rubtsov, P.J. Quinn, A.A. Boldyrev* 240

Six myosin heavy chain isoforms are expressed during chick breast muscle development (FEB 06382) *S. Hofmann, S. Düsterhöft, D. Pette* 245

Endothelin stimulates c-fos and c-myc expression and proliferation of vascular smooth muscle cells (FEB 06371) *I. Komuro, H. Kurihara, T. Sugiyama, F. Takaku, Y. Yazaki* 249

Isolation and analysis of the mouse opsin gene (FEB 06370) *W. Baehr, J.D. Falk, K. Bugra, J.T. Triantafyllos, J.F. McGinnis* 253

Low-cytopathic infectious clone of human immunodeficiency virus type I (HIV-I) (FEB 06368) *K. Sakai, X. Ma, D.J. Volsky* 257

Mammalian valyl-tRNA synthetase forms a complex with the first elongation factor (FEB 06379) *Yu.A. Motorin, A.D. Wolfson, A.F. Orlovsky, K.L. Gladilin* 262

Tissue-specific expression of mRNAs encoding α- and β-catalytic subunits of protein phosphatase 2A (FEB 06365) *Y. Khew-Goodall, B.A. Hemmings* 265

Effect of site-specific mutagenesis of tyrosine-55, methionine-110 and histidine-217 in porcine kidney D-amino acid oxidase on its catalytic function (FEB 06374) *F. Watanabe, K. Fukui, K. Momoi, Y. Miyake* 269

Casein kinase 2 activity increases in the prereplicative phase of liver regeneration (FEB 06373) *M. Pérez, J. Grande, E. Itarte* 273

Botulinum toxin-induced ADP-ribosylation and inhibition of exocytosis are unrelated events (FEB 06369) *V. Adam-Vizi, S. Rosener, K. Aktories, D.E. Knight* 277

Inositol trisphosphatase and bisphosphatase activities in the retina of crab (FEB 06372) *S.C. Trowell* 281

Time-resolved fluorescence studies on the dihydrolipoyl transacetylase (E_2) component of the pyruvate dehydrogenase complex from *Azotobacter vinelandii* (FEB 06362) *R. Hanemaaijer, R. Masurel, A.J.W.G. Visser, A. de Kok, C. Veeger* 285

A proton nuclear magnetic resonance study of the conformation of bovine anaphylatoxin C5a in solution (FEB 06334) *J. Zarbock, R. Gennaro, D. Romeo, G.M.Clore, A.M. Gronenborn* 289

Conformational change of cytochrome a_3 induced by oxidized cytochrome *c* (FEB 06380) *A. Musatov, A.A. Konstantinov* 295

The amino acid sequences of frog heart atrial natriuretic-like peptide and mammalian ANF are closely related (FEB 06375) *C. Lazure, H. Ong, N. McNicoll, P. Netchitailo, M. Chrétien, A. De Léan, H. Vaudry* 300

Complete amino acid sequence of human intestinal aminopeptidase N as deduced from cloned cDNA (FEB 06363) *J. Olsen, G.M. Cowell, E. Kønigshøfer, E.M. Danielsen, J. Møller, L. Laustsen, O.C. Hansen, K.G. Welinder, J. Engberg, W. Hunziker*[×], *M. Spiess*[†△], *H. Sjöström, O. Norén* 307

Murine mRNA for the β-subunit of integrin is increased in BALB/c-3T3 cells entering the G_1 phase from the G_0 state (FEB 06388) *S. Tominaga* 315

Small cytoplasmic RNA associated with polyadenylated RNA is involved in the hormonal regulation of gene expression (FEB 06381) *I.M. Konstantinova, Yu.V. Kozlov, V.A. Kulitchkova, O.A. Petukhova* 320

Cloning and high-level expression of a chloroperoxidase gene from *Pseudomonas pyrrocinia* in *Escherichia coli (FEB 06394)* *C. Wolfframm, K.-H. van Pée, F. Lingens* 325
Alterations in the cleavage site of the signal sequence for the secretion of human lysozyme by *Saccharomyces cerevisiae* (FEB 06384) *H. Nagahora, H. Fujisawa, Y. Jigami* 329
Acetylcholinesterase from *Drosophila melanogaster*: Identification of two subunits encoded by the same gene (FEB 06390) *D. Fournier, J.-M. Bride, F. Karch, J.-B. Bergé* 333
Identification of zymogen and mature forms of human carboxypeptidase H: A processing enzyme for the synthesis of peptide hormones (FEB 06396) *V.Y.H. Hook, H.-U. Affolter* 338
Stimulation of collagen synthesis in fibroblast cultures by the tripeptide-copper complex glycyl-L-histidyl-L-lysine-Cu^{2+} (FEB 06385) *F.-X. Maquart, L. Pickart, M. Laurent, P. Gillery, J.-C. Monboisse, J.-P. Borel* 343
Two conserved tryptophan residues of tumor necrosis factor and lymphotoxin are not involved in the biological activity (FEB 06389) *X. Van Ostade, J. Tavernier, W. Fiers* 347
Inhibition of adriamycin-promoted microsomal lipid peroxidation by β-carotene, α-tocopherol and retinol at high and low oxygen partial pressures (FEB 06387) *G.F. Vile, C.C. Winterbourn* 353
Low-density lipoproteins increase intracellular calcium in aequorin-loaded platelets (FEB 06378) *R.C. Dunn, M. Schachter, C.M.M. Miles, M.D. Feher, P.R. Tranter, K.R. Bruckdorfer, P.S. Sever* 357
A physical characterization of some detergents of potential use for membrane protein crystallization (FEB 06386) *P.A. Timmins, M. Leonhard, H.U. Weltzien, T. Wacker, W. Welte* 361
Etoxadrol-*meta*-isothiocyanate: a potent, enantioselective, electrophilic affinity ligand for the phencyclidine-binding site (FEB 06377) *A. Thurkauf, M.V. Mattson, P.N. Huguenin, K.C. Rice, A.E. Jacobson* 369
The herbicidally active experimental compound Hoe 704 is a potent inhibitor of the enzyme acetolactate reductoisomerase (FEB 06395) *A. Schulz, P. Spönemann, H. Köcher, F. Wengenmayer* 375
Sites of arrestin action during the quench phenomenon in retinal rods (FEB 06409) *R. Zuckerman, J.E. Cheasty* 379
Structural studies on improved crystals of the photosystem I reaction centre from *Phormidium laminosum* (FEB 06404) *R.C. Ford, R.A. Pauptit, A. Holzenburg* 385
400-MHz ^{1}H-NMR spectroscopy of fucosylated tetrasialyl oligosaccharides isolated from normal and cirrhotic α_1-acid glycoprotein (FEB 06364) *J.M. Wieruszeski, B. Fournet, D. Konan, D. Biou, G. Durand* 390
Ca^{2+}-dependent K^+ channels in neuroblastoma hybrid cells activated by intracellular inositol trisphosphate and extracellular bradykinin (FEB 06397) *H. Higashida, D.A. Brown* 395
The reactivation of apodopamine β-monooxygenase by vanadyl ions (FEB 06402) *K.A. Markossian, N.A. Paitian, R.M. Nalbandyan* 401
A novel pyrophosphate fructose-6-phosphate 1-phosphotransferase from carrot roots: Relation to PFK from the same source (FEB 06403) *J.H. Wong, T. Kang, B.B. Buchanan* 405
Interaction of a hydrophobic model peptide and its fatty acid derivative with lipid vesicles (FEB 06401) *M. Joseph, R. Nagaraj* 411
Brain natriuretic peptide interacts with atrial natriuretic peptide receptor in cultured rat vascular smooth muscle cells (FEB 06400) *Y. Hirata, M. Shichiri, T. Emori, F. Marumo, K. Kangawa, H. Matsuo* 415
Insulin-induced decrease in 5′-nucleotidase activity in skeletal muscle membranes (FEB 06391) *A. Klip, T. Ramlal, A.G. Douen, E. Burdett, D. Young, G.D. Cartee, J.O. Holloszy* 419
Cloning and nucleotide sequence of cDNA for the plastid glycerol-3-phosphate acyltransferase from squash (FEB 06405) *O. Ishizaki, I. Nishida, K. Agata, G. Eguchi, N. Murata* 424
Expression of four types of human tyrosine hydroxylase in COS cells (FEB 06399) *K. Kobayashi, K. Kiuchi, A. Ishii, N. Kaneda, Y. Kurosawa, K. Fujita, T. Nagatsu* 431

Sensitivity of intergenic regions of yeast mitochondrial DNA to single-strand-specific nucleases (FEB 06367) *J. Piškur* 435

12-*O*-Tetradecanoyl phorbol-13-acetate interferes with germination of *Phycomyces blakesleeanus* sporangiospores (FEB 06410) *T. Carrillo-Rayas, J. Garcia-Soto, G. Martinez-Cadena* 441

Inhibition of glucose phosphorylation by fatty acids in the perfused rat heart (FEB 06393) *J. Chatham, H.F. Gilbert, G.K. Radda* 445

Author Index 450

Table of Contents 456

Notes to Authors 461